



Turmdrehkrane

von:


LIEBHERR

Ausladung und Tragfähigkeit

Radius and capacity / Portée et charge / Sbraccio e portata / Alcances y cargas / Alcance e capacidade de carga




Auslegersteilstellung 20°
Elevated jib 20°
Flèche inclinée 20°
Braccio inclinato a 20°
Pluma inclinada 20°
Lança inclinada 20°



Geschwindigkeiten

Speeds / Vitesse / Velocità / Velocidades / Velocidades





	U/min. 0 ↔ 0,8 sl./min tr./min	1,5 kW, EDC
	20,0 / 40,0 m/min	1,8 / 3,5 kW (20°)* 2,6 / 3,5 kW (20°)**
	10,0 m/min	1,8 kW 2,6 kW (20°)
	4,0 m/min	5,0 kW

	Stufe / Step / Cran Marcia / Velocidad Velocidade	kg	m/min	
11,0 kW (KL) 	1	2500	5,0	
	2	2500	20,0	
	3	1300	40,0	
11,0 kW (FU) 	1	1500 3000	5,0 2,5	
	2	1500 3000	20,0 10,0	
	3	1300 2600	40,0 20,0	
	11,0 kW (FU) 	1	2500	4,0
		2	2500	20,0
		3	1300	38,0
4		1000	50,0	
	1	1500 3000	4,0 2,0	
	2	1500 3000	20,0 10,0	
	3	1300 2600	38,0 19,0	
	4	1000 2000	50,0 25,0	

	400 V	Hz	kVA
55,0 m	4 x 6 mm ² (KL)	50	20,0 (KL)
85,0 m	4 x 6 mm ² (FU)		18,0 (FU)

Kolli-Liste

Packing List / Liste de colisage / Lista dei colli / Lista de contenido / Lista de embalagem

Pos. Item	Anz. Qty.		L (m)	B (m)	H (m)	kg		
1	1	Transportachse vorne Tra 100 KY 2 Road transport axle front / Essieux de transport arrière / Asse di trasporto anteriore / Eje delantero para transporte / Eixo de transporte dianteiro			4,10	1,42	1,10	750
2	1	Transportachse hinten Tra 120 GY 1A Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro			1,70	2,50	1,10	1100
3	1	Transportachse vorne Tra 115 Road transport axle front / Essieux de transport arrière / Asse di trasporto anteriore / Eje delantero para transporte / Eixo de transporte dianteiro			4,10	2,50	1,32	1900
4	1	Transportachse hinten Tra 117 GY 1A Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro			1,80	2,50	1,10	1500
5	1	Transportachse hinten Tra 203 Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro			3,0	2,50	1,05	2500



Technische Daten


Technical data - Caractéristiques techniques

Caratteristiche tecniche - Características técnicas - Datos técnicos

Aufstellvorgang

Erection procedure / Déroulement de montage / Procedimento di montaggio

Procedimiento de montaje / Sistema de montagem



120 P -4320 H1 B3 DIN 15018 •BGL 2105-0028 / FEM (Section 1) Krangruppe A3 und OENORM T3 •03.01 / 6

Konstruktionsänderungen vorbehalten! / Subject to alterations!
Sous réserves de modifications! / Si fa riserva di modifiche!
Salvo modificação da construção! / Sujeto a modificaciones!

Printed in Germany.



LIEBHERR-WERK BIBERACH GMBH, Postfach 1663, D-88396 Biberach an der Riß
☎ (0 73 51) 41-0, Fax (0 73 51) 41 22 25, www.lbc.liebherr.de, E-Mail: info@lbc.liebherr.com